ERRATUM Open Access



Erratum to: Readmission rates of South Korean psychiatric inpatients by inpatient volumes per psychiatrist

Kyu-Tae Han^{1,2}, Seo Yoon Lee^{2,3}, Sun Jung Kim⁴, Myung-II Hahm⁴, Sung-In Jang^{1,2,5}, Seung Ju Kim^{1,2}, Woorim Kim^{1,2} and Eun-Cheol Park^{2,5*}

Erratum

Following publication of the original article in *BMC Psychiatry* [1], it was brought to our attention that the results and conclusions sections in the abstract are incorrect:

The results section in the abstract should read: Readmissions within 30 days accounted for 1,598 (4.5 %) claims. Multilevel analysis demonstrated that inpatient volume per psychiatrist were positively related with readmission within 30 days (low odds ratio [OR]: 0.38, 95 % confidence interval [CI]: 0.28–0.51; mid-low OR: 0.48, 95 % CI: 0.36–0.63; mid-high OR: 0.55, 95 % CI: 0.44–0.69; Q4 = ref). The subgroup analysis by diagnosis revealed that both "schizophrenia, schizotypal, and delusional disorders" and "mood disorders" had positive relationships with readmission risk for all volume groups.

The conclusions section in the abstract should read: We observed a positive association between inpatient volume per psychiatrist and the 30-day readmission rate of psychiatric inpatients, suggesting that it could be a useful quality indicator in mental health care.

We apologize for the inconvenience this may have caused.

Author details

¹Department of Public Health, Graduate School, Yonsei University, Seoul, Republic of Korea. ²Institute of Health Services Research, Yonsei University College of Medicine, Seoul, Republic of Korea. ³Department of Health Policy and Management, Graduate School of Public Health, Yonsei University, Seoul, Republic of Korea. ⁴Department of Health Administration and Management, Soonchunhyang University, Asan, Republic of Korea. ⁵Department of Preventive Medicine, Yonsei University College of Medicine, 50 Yonsei-ro, Seodaemun-gu, Seoul 120-752, Republic of Korea.

Received: 4 May 2016 Accepted: 11 May 2016 Published online: 27 June 2016

Reference

 Han KT et al. Readmission rates of South Korean psychiatric inpatients by inpatient volumes per psychiatrist. BMC Psychiatry. 2016;16:96.

Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at www.biomedcentral.com/submit





© 2016 The Author(s). **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

^{*} Correspondence: ecpark@yuhs.ac

²Institute of Health Services Research, Yonsei University College of Medicine, Seoul. Republic of Korea

⁵Department of Preventive Medicine, Yonsei University College of Medicine, 50 Yonsei-ro, Seodaemun-qu, Seoul 120-752, Republic of Korea