CORRECTION Open Access

## Correction to: Prevalence of depression and associated factors among elderly people in Womberma District, north-west, Ethiopia



Nebiyu Mulat<sup>1</sup>, Hordofa Gutema<sup>2</sup> and Gizachew Tadesse Wassie<sup>3\*</sup>

Correction to: BMC Psychiatry 21, 136 (2021) https://doi.org/10.1186/s12888-021-03145-x

Following publication of the original article [1], the authors identified an error in Table 3. The correct table is given below.

The author group has been updated above and the original article [1] has been corrected.

The original article can be found online at https://doi.org/10.1186/s12888-021-03145-x.

Full list of author information is available at the end of the article



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

<sup>\*</sup> Correspondence: leulgzat@gmail.com

<sup>&</sup>lt;sup>3</sup>Department of Epidemiology and Biostatistics, School of Public Health, College of Medicine and Health sciences, Bahir Dar University, Bahir Dar, Ethiopia

Mulat *et al. BMC Psychiatry* (2021) 21:195 Page 2 of 3

**Table 3** Simple and multiple logistic regression analysis of depressive disorder among elderly people in Womberma District, North West. Ethiopia, 2020 (n = 941).

Variables	Categories	Depression		COR(95%CI)	AOR(95%CI)	<i>P</i> -value
		Yes	No			
Sex	Female	257	221	2.06 (1.58-2.67)	1.60 (1.15-2.23)	0.005*
	Male	167	296	1	1	
Age	>= 75 years	142	69	7.88 (5.19-11.96)	7.95 (4.98-12.68)	<0.001**
	70-74 years	138	87	6.07 (4.05-9.10)	5.52 (3.52-8.66)	<0.001**
	65-69 years	91	158	2.20 (1.48-3.28)	2.39 (1.54-3.70)	<0.001**
	60-64 years	53	203	1	1	
Occupational status	Retired	41	33	1.67 (1.03-2.70)	0.70 (0.38-1.28)	0.247
	Merchant	6	13	0.62 (0.23-1.65)	0.41 (0.13-1.30)	0.131
	Others(/gov/t, NGO/daily labor/	82	74	1.49 (1.05-2.11)	0.62 (0.37-1.02)	0.064
	Farmer	295	397	1	1	
marital status	Single	4	8	1.06 (0.31-3.59)	0.82 (0.16-4.19)	0.820
	Divorced	112	69	3.46 (2.43-4.91)	2.53 (1.59-4.03)	<0.001**
	Widowed	141	84	3.57 (2.58-4.96)	2.65 (1.61-4.34)	<0.001**
	Married	167	356	1	1	
Family size	Five and above	99	130	0.50 (0.29-0.84)	2.11 (0.47-9.38)	0.322
	Four	96	131	0.48 (0.28-0.81)	1.57 (0.35-6.91)	0.551
	Three	83	129	0.42 (0.25-0.72)	1.20 (0.27-5.38)	0.806
	Two	99	96	0.68 (0.39-1.15)	1.68 (0.37-7.52)	0.493
	One	47	31	1	1	
Living arrangement	Children	173	155	1.89 (1.42-2.50)	0.85 (0.56-1.30)	0.469
	Alone	58	35	2.80 (1.78-4.42)	1.30 (0.32-5.29)	0.712
	Spouse	193	327	1	1	
Known chronic disease	Yes	126	77	2.41 (1.75-3.32)	1.91 (1.30-2.81)	0.001*
	No	298	440	1	1	
Physical disability	Yes	14	9	1.92 (0.82-4.49)	1.86 (0.62-5.53)	0.263
	No	410	508	1	1	
Sleep medication	Yes	4	11	0.43 (0.13-1.38)	0.28 (0.06-1.17)	0.083
	No	420	506	1	1	
A good relationship with neighbors	No	56	47	1.52 (1.00-2.29)	1.17 (0.70-1.95)	0.540
	Yes	368	470	1	1	
Feeling of loneliness	Yes	72	62	1.50 (1.04-2.16)	1.00 (0.62-1.61)	0.972
	No	352	455	1	1	
Perceived social support	poor	276	196	4.15 (2.42-7.12)	3.32 (1.77-6.23)	<0.001**
	Moderate	128	262	1.44 (0.83-2.49)	1.24 (0.66-2.34)	0.498
	Strong	20	59	1	1	
Ever used tobacco	Yes	6	13	0.55 (0.21- 1.47)	0.39 (0.12-1.27)	0.120
	No	418	504	1	1	

<sup>\*</sup> p value <0.05, \*\* p value <0.001, Hosmer and Lemeshow goodness of fit test (p-value = 0.394)

Mulat *et al. BMC Psychiatry* (2021) 21:195 Page 3 of 3

## **Author details**

<sup>1</sup>Womberma District Health Office, Dembecha, Amhara Region, Ethiopia. <sup>2</sup>Department of Health promotion and Behavioral sciences, School of Public Health, College of Medicine and Health Sciences, Bahir Dar University, Bahir Dar, Ethiopia. <sup>3</sup>Department of Epidemiology and Biostatistics, School of Public Health, College of Medicine and Health sciences, Bahir Dar University, Bahir Dar, Ethiopia.

Published online: 16 April 2021

## Reference

 Mulat N, et al. Prevalence of depression and associated factors among elderly people in Womberma District, north-west, Ethiopia. BMC Psychiatry. 2021;21:136. https://doi.org/10.1186/s12888-021-03145-x.