

CORRECTION Open Access

# Protocol for a randomised controlled trial of risk screening and early intervention comparing childand family-focused cognitive-behavioural therapy for PTSD in children following accidental injury

Justin Kenardy<sup>1,2\*</sup>, Vanessa Cobham<sup>2,3</sup>, Reginald DV Nixon<sup>4</sup>, Brett McDermott<sup>3</sup>, Sonja March<sup>1</sup>

# Correction

After the publication of this article [1], we became aware of the fact that there was an error in Table 1 "Measures to be administered at each measurement occasion". This correction contains the revised Table. Specifically, within Table 1 it should be noted that the Child Trauma Screening Questionnaire (CTSQ) and Clinician Administered PTSD Scale-Child and Adolescent Version (CAPS-CA) are *only* administered at screening, baseline, post-test, 6-month and 12-month follow-up.

We also note that there was an inconsistency between text in the introduction and methods section. The term PTSD is used in this article to refer to young people experiencing either full PTSD (meeting DSM-IV criteria) or meeting the alternative PTSD-AA algorithm (PTSD-AA) [2,3]. Thus, within the Methods section describing Participants, Recruitment and Inclusion/Exclusion Criteria, it should be clarified that children/adolescents will progress beyond Stage 3 (Diagnostic assessment) if they meet DSM-IV *or* PTSD-AA criteria for PTSD on the CAPS-CA.

Table 1 Measures to be administered at each measurement occasion

Measure	Screening	Baseline	4-weeks post-baseline	Post-test	6-month	12-month
Demographics	Χ	Χ				
Child Trauma Screening Questionnaire	Χ	Χ		Χ	Χ	Χ
Heart-rate	Χ					
Injury severity	Χ					
Clinician Administered PTSD Scale-Child and Adolescent Version		Χ		Χ	Χ	Χ
Faces Pain Scale		Χ		Χ	Χ	Χ
Child PTSD Symptom Scale		Χ	Χ	Χ	Χ	Χ
Child Depression Inventory-Revised		Χ		Χ	Χ	Χ
Spence Children's Anxiety Scale		Χ		Χ	Χ	Χ
Pediatric Quality of Life Scale - Child version		Χ		Χ	Χ	Χ
Child Behavior Checklist		Χ		Χ	Χ	Χ
State Trait Anxiety Inventory		Χ		Χ	Χ	Χ
Pediatric Quality of Life Scale - Parent version		Χ		Χ	Χ	Χ
Depression, Anxiety and Stress Scale		Χ		Χ	Χ	Χ
Parent Diagnostic Scale		Χ	Χ	Χ	Χ	Χ
Satisfaction/Credibility Questionnaire				Χ		
Global Functioning/Improvement Scale/			Χ	Χ	Χ	Χ

<sup>\*</sup> Correspondence: j.kenardy@uq.edu.au

<sup>&</sup>lt;sup>1</sup>Centre of National Research on Disability and Rehabilitation Medicine, School of Medicine, University of Queensland, Herston QLD 4029, Australia Full list of author information is available at the end of the article



# **Author details**

<sup>1</sup>Centre of National Research on Disability and Rehabilitation Medicine, School of Medicine, University of Queensland, Herston QLD 4029, Australia. <sup>2</sup>School of Psychology, University of Queensland, St Lucia QLD 4072, Australia. <sup>3</sup>Child and Youth Mental Health Service, Mater Children's Hospital, Annerley Road, South Brisbane QLD 4101, Australia. <sup>4</sup>School of Psychology, Flinders University, Adelaide SA 5001, Australia.

Received: 19 January 2011 Accepted: 20 January 2011 Published: 20 January 2011

#### References

- Kenardy J, Cobham V, Nixon RDV, McDermott B, March S: Protocol for a randomised controlled trial of risk screening and early intervention comparing child- and family-focused cognitive-behavioural therapy for PTSD in children following accidental injury. BMC Psychiatry 2010, 10:92.
- Scheeringa MS, Wright MJ, Hunt JP, Zeanah CH: Factors affecting the diagnosis and prediction of PTSD symptomatology in children and adolescents. American Journal of Psychiatry 2006, 163:644-651.
- Scheeringa MS, Zeanah CH, Myers L, Putnam FW: New findings on alternative criteria for PTSD in preschool children. Journal of the American Academy of Child & Adolescent Psychiatry 2003, 42:561-570.

### Pre-publication history

The pre-publication history for this paper can be accessed here: http://www.biomedcentral.com/1471-244X/11/15/prepub

# doi:10.1186/1471-244X-11-15

Cite this article as: Kenardy et al.: Protocol for a randomised controlled trial of risk screening and early intervention comparing child- and family-focused cognitive-behavioural therapy for PTSD in children following accidental injury. BMC Psychiatry 2011 11:15.

# Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit

