CORRECTION

BMC Psychiatry

Open Access



Correction to: Mediation and moderation analyses: exploring the complex pathways between hope and quality of life among patients with schizophrenia

Wei-Liang Wang¹, Yu-Qiu Zhou^{1*}, Nan-Nan Chai², Guo-Hua Li³ and Dong-Wei Liu¹

Correction to: BMC Psychiatry. 20, 22 (2020) http://orcid.org/0.1186/s12888-020-2436-5

Following the publication of the original article [1], the authors identified errors in Figs. 1 and 2 and Table 2. The correct figures and table are given below.

The original article [1] has been corrected.

The original article can be found online at https://doi.org/10.1186/s12888-020-2436-5.

* Correspondence: hmuhlxy@163.com


¹School of Nursing, Harbin Medical University (Daqing), Daqing, Heilongjiang, China

Full list of author information is available at the end of the article



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.








Table 2 Analysis of Simple Effects

| Moderator variable | Effect | | | | | | |
|-----------------------|----------|---------|----------|----------|-----------|---------|-----------|
| | a1 | b1 | a2 | b2 | c' | a1b1 | a2b2 |
| Gender | | | | | | | |
| Male | 0.435*** | -0.138* | - 0.25** | 0.564*** | - 0.25** | - 0.06 | - 0.141** |
| Female | 0.562*** | - 0.075 | -0.405** | 0.335*** | -0.451*** | - 0.042 | -0.144** |
| Difference | 0.973 | 0.078 | 0.526 | 0.025 | 4.548* | 0.005 | 0.253 |

*p<0.05; **p <0.01; ***p<0.001

Differences in simple effects were computed by subtracting the effects for women from the effects for men

Tests of differences for the indirect effect were based on bias-corrected confidence intervals derived from bootstrap estimates

Author details

¹School of Nursing, Harbin Medical University (Daqing), Daqing, Heilongjiang, China. ²School of Nursing, Chifeng University Chifeng, Harbin, The Autonomous Region, China. ³Chifeng Anding Hospital Chifeng, Chifeng, The Autonomous Region, China.

Published online: 12 November 2021

Reference

 Wang WL, et al. Mediation and moderation analyses: exploring the complex pathways between hope and quality of life among patients with schizophrenia. BMC Psychiatry. 2020;20(1):22.